


DEFY LINES.

(PARENTHESES HAVE NO PLACE
ON YOUR FACE.)



Actual patient. Results may vary.

- **Instantly** smooths away the deeper lines along the sides of your nose and mouth
- Provides **natural-looking** results
- **Lasts up to 1 year** with optimal treatment

APPROVED USE

JUVÉDERM® XC injectable gel is for injection into areas of facial tissue where moderate to severe facial wrinkles and folds occur to temporarily add volume to the skin, especially around the nose and mouth.

IMPORTANT SAFETY INFORMATION

Are there any reasons why I should not receive JUVÉDERM® XC?

Do not use the product if you have severe allergies with a history of severe allergic reactions (anaphylaxis), or if you are allergic to lidocaine or the proteins (gram-positive bacterial proteins) used to make the hyaluronic acid (HA) in JUVÉDERM® XC.

Please see additional Important Safety Information inside.

YOUR SKIN CHANGES OVER TIME

As you age, your skin loses elasticity and moisture. This normal aging process, plus environmental factors like sun exposure, cause different facial lines to form, including moderate to severe wrinkles and folds.



There are several different types of facial lines that form around your nose and mouth. These include the parentheses lines, vertical lip lines, corner lines, and marionette lines. As you age, these lines may become more noticeable.



“My inner impression of myself and my outer appearance didn't match.”



LEARN HOW TO DEFY LINES AND GET NATURAL-LOOKING RESULTS



Actual patient.
Results may vary.

“Everyone will notice,
no one will know.”

— Shawn

See the full gallery of JUVÉDERM® XC
before-and-after photos at Juvederm.com.

IMPORTANT SAFETY INFORMATION (continued)

What precautions should my doctor advise me about?

- The safety of JUVÉDERM® XC injectable gel for use during pregnancy, in women who are breastfeeding, or in patients with very thin skin in the cheek area has not been studied

HOW IT WORKS

JUVÉDERM® XC injectable gel:

- Is a nonsurgical treatment
- Contains a modified hyaluronic acid, derived from a naturally occurring sugar found in the human body
- Is gently injected by your healthcare professional under the skin using a fine needle
- Contains a common anesthetic called *lidocaine* to reduce discomfort

JUVÉDERM® XC is a nonsurgical filler your healthcare professional uses to instantly smooth away the deeper lines along the sides of your nose and mouth.

Get natural-looking results for up to 1 year with optimal treatment. Individual results may vary.

IMPORTANT SAFETY INFORMATION (continued)

- The safety for use in patients under 18 years has not been studied
- The safety and effectiveness for treatment in areas other than facial wrinkles and folds (such as lips) have not been established

Please see additional Important Safety Information on following pages.

SEE THE DIFFERENCE WITH JUVÉDERM® XC

TALK TO YOUR HEALTHCARE PROFESSIONAL
TO SEE IF JUVÉDERM® XC IS RIGHT FOR YOU.

ABBEY



BEFORE

Individual results may vary.

AFTER

Unretouched photos of paid model taken before treatment and 2 weeks after treatment. A total of 3.2 mL of JUVÉDERM® XC was injected into the parentheses lines, corner lines, and marionette lines. These photos are not of a clinical trial subject.

LIZETTE



BEFORE

Individual results may vary.

AFTER

Unretouched photos of paid model taken before treatment and 2 weeks after treatment. A total of 2.0 mL of JUVÉDERM® XC was injected into the parentheses lines, corner lines, and marionette lines. These photos are not of a clinical trial subject.

JENNIFER



BEFORE

Individual results may vary.

AFTER

Unretouched photos of paid model taken before treatment and 2 weeks after treatment. A total of 3.0 mL of JUVÉDERM® XC was injected into the parentheses lines, corner lines, marionette lines, and vertical lip lines. These photos are not of a clinical trial subject.

LAURA



BEFORE

Individual results may vary.

AFTER

Unretouched photos of paid model taken before treatment and 2 weeks after treatment. A total of 4.2 mL of JUVÉDERM® XC was injected into the parentheses lines, corner lines, marionette lines, and vertical lip lines. These photos are not of a clinical trial subject.

IMPORTANT SAFETY INFORMATION (continued)

- The safety for use in patients with a history of excessive scarring or pigmentation disorders has not been studied and may result in additional scars or changes in pigmentation
- Tell your doctor if you are on therapy used to decrease the body's immune response (immunosuppressive therapy). Use may result in an increased risk of infection

IMPORTANT SAFETY INFORMATION (continued)

- Tell your doctor if you are using medications that can prolong bleeding, such as aspirin, ibuprofen, or other blood thinners; as with any injection, this may result in increased bruising or bleeding at the injection site

Please see additional Important Safety Information on following pages.

LONG-LASTING RESULTS UP TO 1 YEAR

The *first and only* injectable gel for wrinkles and folds that's FDA approved to **last up to 1 year** with optimal treatment.

“The treatment was quick, and it didn't feel like a big deal at all. The results, on the other hand, are a big deal to me.”

LISA



BEFORE

AFTER 6 WEEKS

Individual results may vary.
1 YEAR AFTER TREATMENT

Unretouched photos of paid JUVÉDERM® XC injectable gel patient who received a 3-syringe treatment to correct parentheses lines. One syringe = 1.0 mL of JUVÉDERM® XC.

In clinical studies, optimal correction was achieved with 3.2 mL. Results lasted up to 1 year. These photos are not of a clinical trial subject.

EMILY



BEFORE

AFTER 6 WEEKS

Individual results may vary.
1 YEAR AFTER TREATMENT

Unretouched photos of paid JUVÉDERM® XC injectable gel patient who received a 3-syringe treatment to correct parentheses lines. One syringe = 1.0 mL of JUVÉDERM® XC.

In clinical studies, optimal correction was achieved with 3.2 mL. Results lasted up to 1 year. These photos are not of a clinical trial subject.

JUVÉDERM® XC is the #1 selling filler in the US

It's your time to defy.

IMPORTANT SAFETY INFORMATION (continued)

- If laser treatment, chemical peel, or any other procedure based on active dermal response is considered after treatment, or if the product is administered before the skin has healed completely, there is a possible risk of an inflammatory reaction at the treatment site
- As with all skin injection procedures there is a risk of infection

Please see additional Important Safety Information on back page.

Visualize the difference for yourself with JUVÉDERM® XC



DOWNLOAD THE JUVÉDERM® XC TREATMENT VISUALIZER APP.*

The JUVÉDERM® XC Treatment Visualizer app is available for all Apple devices, as well as the *Android*™ smartphone.

*The JUVÉDERM® XC Treatment Visualizer app is for illustrative and demonstrative purposes only. The results displayed may not reflect actual results.

IMPORTANT SAFETY INFORMATION (continued)

What are possible side effects?

The most commonly reported side effects for JUVÉDERM® XC injectable gel were temporary injection-site redness, swelling, pain/tenderness, firmness, lumps/bumps, bruising, itching, and discoloration. They were predominantly mild or moderate in nature and lasted 7 days or less.

To report a problem with JUVÉDERM® XC, please call Allergan Product Surveillance at 1-800-624-4261.

For more information, please see the About Safety page at www.juvederm.com or call the Allergan Medical Information line at 1-800-433-8871.

JUVÉDERM® XC injectable gel is available by prescription only.

Ask your healthcare professional
if JUVÉDERM® XC is right for you.



©2014 Allergan, Inc. ® and ™ marks owned by Allergan, Inc.
JUVÉDERM® mark owned by Allergan Industrie, SAS.
Android is a trademark of Google Inc.
www.juvederm.com Re-order: APC37NC14 141249